


ALL IN ONE

VACUUM TO SPRAY



- Injection/extraction functions included.
- HEPA Dual Filtration System







GP 1/27 EXT SPRAY
GP 2/62 EXT SPRAY

Cleaning is consistently evolving, as we seek to meet higher hygiene standards ever more effectively.

IPC is closely connected to the latest and best practises of cleaning and is committed to deliver new solutions that boost cleaning efficiency, addressing those areas and tasks that are evolving fastest.

We have thus developed a complete range of new solutions, responding to the latest precautionary practises focused to protect communities all around the world.



All in one vacuum to spray

Vacuum-spray, double function machine with injection/extraction functions included. With **HEPA** Dual Filtration System.



1 - Quick connect into spraying mode

Immediate connection of the unit into spraying mode allows this product to spray all types of surfaces with a professional spray gun.



2 - Deepest cleaning of hard and soft surfaces

With the powerful pumps featured on our models, deep cleaning is guaranteed from carpets, upholstery, car interiors and hard surfaces such as panels and windows.



3 - Highest filtering standards in wet or dry conditions

Equipped with dedicated filtering system with highest class HEPA efficiency in both wet & dry vacuuming modes thanks to DFS (Dual Filtration System) protecting the filter itself from contact with liquids.



All in one vacuum to spray - Spraying mode

Spraying lance easily connected, available on 2 machines for both portable and heavy-duty uses.



Fully tested for using water solutions with either:

- Hydrogen peroxide 0,5%;
- Sodium hypochlorite 0,5%;
- Quaternary salts 1,5%.

For professional use. Not for flammable or corrosive chemicals or detergents.



GP 1/27 SPRAY EXT (Portable)

- 3 liter external tank
- Light & compact




GP 2/62 SPRAY EXT (Heavy Duty)

- 90W by-pass pump for continuous use in spraying mode.
- 25 liters external tank.



All in one vacuum to spray - Highest filtering standards in wet or dry conditions

The **DFS** (**Dual Filtration System**) is a carefully **designed system to fully protect** the suction motor and sensitive components from the corrosive action coming from the use and/or suction of detergents.





All in one vacuum to spray – Surface cleaning

In injection/extraction mode maximum performance is achieved thanks to powerful pump. A full range of accessories allows to wash and vacuum different type of surfaces.



CARPET Ideal for spot cleaning.



UPHOLSTERYExcellent for sofas, chairs, curtains, mattresses, etc.



CAR-WASHSeats and interiors.



HARD SURFACESFloors, surfaces and windows.



All in one vacuum to spray – Other features



90W pump:

GP 2/62 features a unique heavy-duty by-pass pump made by IPC.



External tank for detergent and disinfectant: for quick filling and emptying operations



Drain hose: for quick and easy dirty tank emptying



Quick connect: for fast switching between the extraction accessories and the nebulizing lance



Switch blocking system: allows a continuous use of the nebulizing lance for room saturation



Indipendent suction motors: for modulation of suction power according to application



Practical accessory holder: for the accessory kit always at hand



All in one vacuum to spray - Accessories

GP 2/62 SPRAY EXT is equipped with all the accessories required to complete deep cleaning. With one machine and selected accessories it can:

- 1) Spray various types of chemicals
- 2) Clean with detergent solutions
- 3) vacuum solids and liquids










All in one vacuum to spray - Accessories

GP 1/27 SPRAY EXT is equipped with all the accessories required to complete deep cleaning. With one machine and selected accessories it can:

- 1) Spray various types of chemicals
- 2) Clean with detergent solutions
- 3) vacuum solids and liquids.









All in one vacuum to spray - Technical specs






| CODE | ASDO13901 | ASDO13902 |
|-----------------------------|-----------------------------|-------------------------------------------------|
| MODEL | GP 1/27 SPRAY EXT | GP 2/62 SPRAY EXT |
| Duty cycle | 2MIN ON - 1 MIN OFF | NO LIMIT OF CYCLE |
| Safety protection | Pump overheating sensor | Automatic bypass system and overpressure sensor |
| Type of collection | WET & DRY | WET & DRY |
| Full tank capacity /mat | 27 liters / PP | 62 liters / PP |
| Chem solution tank/mat | 3 liters / PE | 25 liters / PE |
| Dimension / weight | 380x380x650 - 12KG | 550x600x960 - 21KG |
| Pump power | 48W | 90W |
| Suction power | 1 MOT. DOUBLE STAGE - 1200W | 2 MOT. DOUBLE STAGE - 2400W |
| Accessories Diameter | 36MM | 38MM |
| Sprayer Mode | 9 min (2 ON, 1 OFF) | 30/35 min (continuous) |
| Max reachable distance | 15 m radius | 15 m radius |
| Effective spraying distance | <2mt | <2mt |
| Atomisation | < 200 micron | < 200 micron |
| | | |



All in one vacuum to spray – Main sectors and applications





THANK YOU